

# GRASIL BY AYTM

WALL LED LAMP | TECHNICAL DOCUMENTATION






#### DESCRIPTION

With a solid marble base and exquisite bended metal tubes, GRASIL provides a unique and exclusive expression with an overwhelming elegance. The rounded geometrical elements, connected in an asymmetrical shape, gives the GRASIL LED lamps a sculptural appearance – and with the solidity from the marble, that stands in contrast to the light expression from the bended metal tubes, these lamps symbolizes the most beautiful symbioses of balance.

The GRASIL LED wall lamp is a wonderful addition for your bedroom. With several interior styling options, such as placing the wall lamp on each side of the bed or simply on its own, you can adjust the wall lamp as you please for less or more intense lighting. GRASIL LED wall lamp is also suitable for the walls in your hallway or entrance where it provides a charming and cozy setting.

*IMPORTER* Gran Living ApS Polensgade I5, 8000 Aarhus BRANDAYTM 509179001084 PRODUCT ART. NO. PRODUCT TYPE LED wall lamp PRODUCT NAME GRASII Black COLOURS DIMENSIONS L30 x WI7 x H54 cm 5,5 kg WEIGHT MATERIAL - LAMP..... Steel with powder coating & Marble base MATERIAL — CORD Black textile ..... 50.000 hours  $LED\ LIFESPAN$ COMPLIANT WITH The lamp is CE (EU) & UKCA certified







### TECHNICAL SPECIFICATIONS

The following specifications are in accordance with the EU Regulation 2019 / 2015.

•••••••	LED
•••••••••••••••••••••••••••••••••••••••	No
•••••••••••••••••••••••••••••••••••••••	Wall socket
•••••••••••••••••••••••••••••••••••••••	375lm
•••••••••••••••••••••••••••••••••••••••	>90
•••••••••••••••••••••••••••••••••••••••	I2W
•••••••••••••••••••••••••••••••••••••••	<0,5W
•••••••••••••••••••••••••••••••••••••••	<0,5W
•••••••••••••••••••••••••••••••••••••••	G
•••••••••••••••••••••••••••••••••••••••	Touching ON/OFF switch
•••••••••••••••••••••••••••••••••••••••	2,5 m

## **CALCULATION**

The Equation used for the calculation of the energy efficiency factor is the following:

$$\eta_{TM} = (\Phi_{use}/P_{on}) \times F_{TM} (lm/W).$$

Using above values and the factor FTM=0,926 the equation looks as following – resulting in an energy efficiency **class of G**.

455lm/11W \* 0.926(lm/W) = 38.3.

## SPECIFIC PRECAUTIONS

The lamp needs to be assembled and can afterwards be connected to a power source with a plug. If the provided plug should not fit the wall socket use a safe and certified adapter.

**Do not** disassemble or remove the plug yourself if you are not a trained personal.